

Elevate everyday living

Materials, accessories, and user interface devices for MonoSpace Home DX





Seven reasons to choose KONE MonoSpace Home DX

1

Greater safety & reliability

- KONE EcoDisc® Motor: Built for safety, the fourth-generation motor is more reliable and durable, with a compact design that saves space. Its innovative placement also makes maintenance and repair easier, enhancing long-term dependability.
- Emergency Power Backup: Keeps the lift operational during outages, ensuring peace of mind.
- KONE Remote Monitoring: Offers 24/7 monitoring to enhance safety and security in your home.
- Curtain of Light: A safety feature that senses if someone or something is in the way of the doors, preventing accidental injury.

2

Excellent eco-efficiency

- Energy-Efficient Drive System: The KONE MonoSpace Home lift delivers impressive energy savings, with a motor twice as efficient as traditional motors and a 10% reduction in energy loss, contributing to lower energy bills and a smaller carbon footprint.

3

Superb ride comfort

- Smooth Ride Experience: The advanced control system provides a quiet, smooth ride, offering a premium feel that integrates seamlessly with the comfort of your home.

4

Optimised for home installation

- Custom Fit for Homes: Designed with dimensions optimised for different home heights, ensuring a perfect fit and aesthetic alignment with your space.
- Accessibility Features
- Delayed Door Opening: Gives extra time for entry and exit, assisting those with limited mobility.
- Double-Tap Cancellation: Allows you to cancel incorrect floor selections with a simple double tap.
- Accurate Levelling: Ensures precise levelling, reducing the risk of trips and falls.

5

Standards compliant

- Meeting Key Standards: The KONE MonoSpace Home elevator meets AS 1735.18-2002 standards.

6

Design options

- Car Design Themes: Choose from six functional and stylish designs to suit your home's aesthetic.
- Customisable Interior: Mix and match materials and finishes to create a look that complements your interior design.

7

Reliable care for years to come

- Preventive maintenance: With KONE 24/7 Connected Services, you'll be notified when your elevator equipment needs examining - providing you full transparency and improved safety.

Redefine the user experience


Your home lift is more than a way to move between floors – it's part of your living space. With carefully selected finishes, lighting, and personalised touches, it becomes a seamless extension of your home's style.

For KONE MonoSpace Home, choose from our Classic, Refined, or Elegant ranges – or mix and match to create a look that's uniquely yours.

Features across all ranges

Narrow Door Frames

Wall Mounted Maintenance Access Panel



Classic

Clean, functional style with lasting quality.



Refined

Versatile design that blends function and warmth.



Elegant

Premium finishes that embody sophistication.

Classic

Clean, functional style
with lasting quality

Smart materials and finishes designed
to make everyday living smoother
and more comfortable.



Walls

Brushed stainless steel



ST4
Silver

ST43LH
Silver long
hairline

PP10FT
Pure White, fine
textured



MP1
Silver

UPGRADE OPTION

Mirror-polished stainless steel

Metallic Painted steel



METP8
Morning Mist
Gold

METP9
Warm Stone
Gold

METP10
Bronzed Dusk
Gold

Doors and Frames

Brushed stainless steel



ST4
Silver

ST4LH
Silver long
hairline



METP8
Morning Mist
Gold



METP9
Warm Stone
Gold



METP10
Bronzed Dusk
Gold

Painted steel



PP10FT
Pure White, fine
textured

Floors

Single Colour PVC



D25
Rocky Grey

D32
Nordic White

Handrail




HR61
silver brushed
stainless steel

UPGRADE OPTION

Mirrors (Rear)

Standard mirror



MR1
Partial width, partial height

Ceilings



CL82

Lighting: Direct light, LED, colour

Finishing: PP10FT Paint fine textured

ST4 Brushed stainless steel SUS304

MP1 Silver mirror polished stainless steel



CL198

Lighting: LED tubes, LED spot

Finishing: Middle part: PP10FT White powder coated steel, fine textured finishing (RAL9010)

Frame: ST4 Silver brushed stainless steel

MP1 Silver mirror polished stainless steel

Signalisations



**Physical button
car operating panel**



**Landing Call
Station**

Buttons



Brushed Stainless
steel with Braille and
Tactile (AS 1735.12
Compliant)

UPGRADE OPTION

LED Panel (Rear)



**Bamboo
shadow**



Mountains

Wall Mounted

MAP

Brushed stainless steel



ST4
Silver, AISI304

Refined

Built to last, crafted
with timeless style

Flexible finishes that blend comfort and
style, bringing harmony to your home.



Walls

Brushed stainless steel



ST8
Champagne Gold

Mirror-polished stainless steel



MP1
Silver

Etched steel



ST41S
Silver etched hexagon
Note: not available for front wall

Wooden printed steel



WS1
Light



WS2
Warm



WS3
Dark



WS4
Dark oak




WS5
White Oak

Floors

Single Colour PVC



D6
Light Brown
PVC



D25
Rocky Grey
PVC



D32
Nordic White
PVC



D33
Sandstone
Brown
PVC



D34
Laurent Black
PVC

Rubber



RC7*
Coin pattern,
rubber floor

Doors and Frames

Brushed stainless steel



ST4
Silver



ST4LH
Silver long
hairline

Mirror-polished stainless steel



MP1
Silver

Brushed stainless steel




ST4
Silver, AISI304

UPGRADE OPTION


Brushed stainless steel



ST6AFP
Bronze with
anti-fingerprint
coating



ST8
Champagne Gold




CB
Carbon black
with anti-
fingerprint
coating

UPGRADE OPTION

Mirrors (Rear)

Standard mirror



MR1
Partial width, partial height

UPGRADE OPTION

LED Panel (Rear)



Bamboo shadow



Mountains

Ceilings



CL72
Lighting: LED tube Finishing: ST4, PP10FT



CL82
Lighting: Direct light, LED, colour
Finishing: PP10FT Paint fine textured
ST4 Brushed stainless steel SUS304
MP1 Silver mirror polished stainless steel



CL198
Lighting: LED tubes, LED spot
Finishing: Middle part: PP10FT White powder coated steel, fine textured finishing (RAL9010)
Frame: ST4 Silver brushed stainless steel
MP1 Silver mirror polished stainless steel

Signalisations



Physical Button
car Partial height
KDS 330 car
operating panel



Touch button
Partial height
KDS 330 car
operating panel



Landing Call
Indicator



Landing Call
Station



Hall Lantern

Buttons




Brushed Stainless
steel with Braille and
Tactile (AS 1735.12
Compliant)

UPGRADE OPTION



KDS HOME V Car Operating Panel Touch button



KDS HOME V
Landing Call Station
Flush mounted



KDS HOME V
Landing Call Station
Surface mounted

Handrails



HR61
silver brushed
stainless steel



HR61/P70
Round carbon
black brushed
painted steel

Elegant


Premium finishes that
embody sophistication

A stylish, modern look that makes
a statement while adding timeless
elegance to your space.



Walls

Brushed stainless steel



ST5P
Mocha Bronze

ST6AFP
Bronze with
anti-fingerprint
coating

ST7P
Titanium Black

ST8
Champagne Gold

CB
Carbon black
with anti-
fingerprint
coating

MP1
Silver

Mirror-polished stainless steel



Wall Mounted MAP

Metallic printed steel



MS1
Metallic
Champagne

MS2
Metallic Coffee

MS3
Metallic Grey

ST4
Silver, AISI304

Brushed stainless steel




Floors

Real granite



M3R/M3H*
Black Golden
Sand stone

Marble tiles



MT1
Elegant Black

MT2
Frosty Grey

MT3
White Marble

Doors and Frames

Brushed stainless steel



ST4
Silver brushed
stainless steel
ST4AFP with
anti-fingerprint
coating

ST4LH
Silver long
hairline brushed
stainless steel

ST7P
Titanium Black

ST8
Champagne
Gold brushed
stainless steel

Mirror-polished stainless steel




ST6
Bronze brushed
stainless steel
ST6AFP with
anti-fingerprint
coating

CB
Carbon black
brushed
stainless
steel with
anti-fingerprint
coating

MP1
Silver mirror
polished
stainless steel

UPGRADE OPTION

LED Panel (Rear)



Bamboo shadow




Mountains

UPGRADE OPTION

Mirrors (Rear)

Standard mirror



MR1
Partial width, partial height

Ceilings



CL72
Lighting: LED tube Finishing: ST4, PP10FT



CL82
Lighting: Direct light, LED, colour
Finishing: PP10FT Paint fine textured
ST4 Brushed stainless steel SUS304
MP1 Silver mirror polished stainless steel



CL198
Lighting: LED tubes, LED spot
Finishing: Middle part: PP10FT White powder coated steel, fine textured finishing (RAL9010)
Frame: ST4 Silver brushed stainless steel
MP1 Silver mirror polished stainless steel

Signalisations



Physical Button
car Partial height
KDS 330 car
operating panel



Touch button
Partial height
KDS 330 car
operating panel



Landing Call
Indicator



Landing Call
Station



Landing call
stations



Buttons

Brushed Stainless
steel with Braille and
Tactile (AS 1735.12
Compliant)



KDS HOME V Car Operating Panel Touch button



KDS HOME V
Landing Call Station
Flush mounted



KDS HOME V
Landing Call Station
Surface mounted

Handrails



HR61
silver brushed
stainless steel



HR61/P70
Round carbon
black brushed
painted steel

Mix & Match



Can't find everything you want in one range? With Mix & Match you have the freedom to combine materials and accessories across ranges, creating a home lift that's uniquely yours.

Build smarter

Save time, make the right decisions, and plan your elevator car interior down to the very last detail with our KONE Studio tools.



MonoSpace Home DX Planning guide



Please consult local KONE sales representatives for details

Product range

Persons / rated load (kg)	Car size BB × DD (mm)	Door type	Car type	LL (mm)	LR (mm)	WW (mm) NOM	WD (mm) NOM
04 / 320	900 × 1000	CO	SEC	650	850	1450	1310
			SEC	700	900	1520	1310
			SEC	750	950	1620	1310
			SEC	800	1000	1720	1310
			SEC	700	900	1450	1385
		SO	SEC	800	1000	1500	1385
			TTC	700	900	1530	1560
			TTC	800	1000	1680	1560
			SEC	650	850	1450	1480
			SEC	700	900	1520	1480
04 / 320	900 × 1200	CO	SEC	750	950	1620	1480
			SEC	800	1000	1720	1480
			SEC	700	900	1450	1550
			SEC	800	1000	1500	1550
			TTC	700	900	1530	1760
		SO	TTC	800	1000	1680	1760
			SEC	650	850	1550	1200
			SEC	700	900	1550	1200
			SEC	750	950	1620	1200
			SEC	800	1000	1720	1200
04 / 320	1000 × 900	CO	SEC	650	850	1750	1200
			SEC	700	900	1750	1200
			SEC	750	950	1750	1200
			SEC	800	1000	1750	1200
			SEC	850	1050	1820	1200
		SO	SEC	650	850	1500	1360
			SEC	700	900	1520	1360
			SEC	750	950	1620	1360
			SEC	800	1000	1720	1360
			SEC	700	900	1500	1435
05 / 400	950 × 1100	CO	SEC	800	1000	1500	1435
			TTC	800	1000	1680	1660
			SEC	650	850	1550	1530
			SEC	700	900	1550	1530
			SEC	750	950	1620	1530
		SO	SEC	800	1000	1720	1530
			SEC	700	900	1550	1600
			SEC	800	1000	1550	1600
			TTC	800	1000	1680	1810
			TTC	800	1000	1680	1810

Load: 320/400/450/630 kg max.

Speed: 0.4 m/s

Travel: 12 m Max.

Power supply: 415 V, 3-Phase

Flexible Dimensions

Persons / rated load (kg)	Car size BB × DD (mm)	Car Depth DD (mm)	Car type	Door Width		Shaft Width	
				CO	SO	CO	SO
06 / 450	Please consult your local KONE sales representatives.	SEC / TTC	700	700	700	700	
08 / 630	Please consult your local KONE sales representatives.		800	800	800	800	

Car Height CH (mm)	2100/2200/2300/2400
Door Height HH (mm)	2000/2100
Overhead SH (mm)	CH + 650
Pit PH (mm)	200 for Load <= 450kg, 450 for 630kg

Persons / rated load (kg)	Car size BB × DD (mm)	Door type	Car type	LL (mm)	LR (mm)	WW (mm) NOM	WD (mm) NOM
05 / 400	1200 × 1100	CO	SEC	700	900	1750	1360
			SEC	750	950	1750	1360
			SEC	800	1000	1750	1360
			SEC	850	1050	1820	1360
			SEC	700	900	1750	1435
		SO	SEC	800	1000	1750	1435
			TTC	800	1000	1750	1660
			SEC	700	900	1750	1460
			SEC	750	950	1750	1460
			SEC	800	1000	1750	1460
05 / 400	1200 × 1200	CO	SEC	850	1050	1820	1460
			SEC	700	900	1750	1535
			SEC	800	1000	1750	1535
			TTC	800	1000	1750	1760
			SEC	700	900	1750	1510
		SO	SEC	750	950	1750	1510
			SEC	800	1000	1750	1510
			SEC	850	1050	1820	1510
			SEC	700	900	1750	1580
			SEC	800	1000	1750	1580
05 / 400	1200 × 1250	CO	TTC	800	1000	1750	1810
			SEC	700	900	1750	1560
			SEC	750	950	1750	1560
			SEC	800	1000	1750	1560
			SEC	850	1050	1820	1560
		SO	SEC	700	900	1750	1580
			SEC	800	1000	1750	1580
			TTC	800	1000	1750	1810
			SEC	700	900	1750	1560
			SEC	750	950	1750	1560
05 / 400	1200 × 1300	CO	SEC	800	1000	1750	1560
			SEC	850	1050	1820	1560
			SEC	700	900	1750	1580
			SEC	750	950	1750	1580
			SEC	800	1000	1750	1580
		SO	SEC	700	900	1750	1560
			SEC	800	1000	1750	1560
			TTC	800	1000	1750	1810
			SEC	700	900	1750	1560
			SEC	750	950	1750	1560
05 / 400	1300 × 1050	CO	SEC	800	1000	1850	1335
			SEC	850	1050	1850	1335
			SEC	700	900	1850	1410
			SEC	800	1000	1850	1410
			TTC	800	1000	1850	1610
		SO	SEC	700	900	1850	1200
			SEC	750	950	1850	1200
			SEC	800	1000	1850	1200
			SEC	850	1050	1850	1200
			SEC	800	1000	1850	1200

KEY

LL	Landing Door Width
LR	Landing rough opening
WW	Shaft Well Width
WD	Shaft Well Depth
BB	Car Width
DD	Car Depth
SEC	Single entrance car
TTC	Through car (entrance front and rear)
CO	Centre opening
SO	Side opening
SH	Shaft headroom (Overhead)
CH	Car height
PH	Pit height

Emergency Battery Drive

Prevent passengers from being trapped inside the elevator in case of a power outage, by installing an Emergency Battery Drive (EBD/ERD). With the EBD/ERD, there is no risk of entrapped passengers and no need to dispatch anyone to rescue passengers. The device will bring the elevator to the nearest floor and open the doors!



How it works

Once power is lost, the battery will immediately activate keeping the panels and lights on for the passengers. The elevator will then make one low speed trip to the nearest floor.

The doors will open normally to allow passengers to safely and calmly exit, and the elevator will shut down. Once the power is restored, and if there was no power surge damage, the lift will resume operation as normal.

The battery is a rechargeable, compact device which is integrated into the control panel and housed outside.



KONE Care™ DX

Combining expert technicians with remote monitoring and management technology that spots problems before they occur, our digital services extends KONE's renowned quality to a lifetime of, safe, smooth and efficient service in your home.

It minimises the disruption of unplanned outages, giving you peace of mind that we'll always be there when you need us. It's the care you expect from KONE.



1. Unparalleled delivery

- ✓ 24/7/365 customer support
- ✓ Skilled technicians are available to quickly solve any issues
- ✓ A large global support network offers access to expert knowledge
- ✓ We respect your privacy by only visiting, when necessary, assisted by technology and data

2. Predictive solutions

- ✓ Connected equipment monitors key parameters in real time
- ✓ AI-based analytics use data to evaluate equipment status and health

3. Data transparency

- ✓ Monthly equipment health report providing information that matters

4. Remote services

- ✓ Potential for immediate rescue of entrapped passengers, enhancing safety and peace of mind
- ✓ Connected equipment enables remote actions for faster resolution of issues

KONE Remote Service

KONE Remote Service increases uptime and solves problems quickly with over-the-air corrective actions.

Your peace of mind starts here



Your time respected
- **55% reduction** in
customer-reported faults

Make the most of your day
with hassle-free predictive solutions.



Your community cared
for - **60 seconds** remote
release possible

Resolve unexpected events quickly
and improve elevator uptime.



Your assets enhanced
- **Always up-to-date**
elevator

Resolve unexpected events quickly
and improve elevator uptime.



For future generations -
Increase resolution of
common issues

Reduce emissions with
over-the-air corrective actions.

AUSTRALIA www.kone.com.au**ACT**

Canberra and South West +61 2 6123 2600

NSW

Sydney +61 2 9577 7000

Newcastle and North Coast +61 2 4949 3333

QLD

Brisbane +61 7 3270 1811

Cairns +61 7 3270 1810

Gold Coast +61 7 3270 1810

Sunshine Coast +61 7 3270 1810

Townsville +61 7 3270 1810

NT

Darwin +61 7 3270 1810

WA

Perth +61 8 9270 9000

SA

Adelaide +61 8 8130 3800

TAS

Hobart +61 3 6231 2045

VIC

Melbourne +61 3 9934 8000

NEW ZEALAND www.kone.co.nz**NTH**

Auckland +64 9 361 9000

Wellington +64 4 381 4330

STH

Christchurch +64 3 338 3900

Dunedin +64 3 477 5627



Want to know more?
Contact your KONE
representative today!
www.kone.com.au
www.kone.co.nz

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement this publication contains shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colours may exist. KONE MonoSpace® DX, KONE EcoDisc®, KONE Care® and People Flow® are registered trademarks of KONE Corporation. Copyright © 2026 KONE Corporation

August 2026

Dedicated to
People Flow™